

American Shad

Created: October 2020

Last Updated: February 2022

Prepared by Tami Wilkerson and Maggie Willis, Columbia Basin Fish & Wildlife Library.

Please contact fishlib@critfc.org to request journal articles or print materials in this bibliography.

Columbia River Basin specific research

Blahm, T. and W. Parente. 1970. A record of the development of the shad egg (*Alosa sapidissima*). Bureau of Commercial Fisheries, Biological Laboratory, Seattle, Washington.

<http://docs.cbfwl.org/ThermalEffects/11-Blahm-Parente-1970.pdf>

Oregon Department of Fish and Wildlife. 1984-1987. Columbia River commercial shad fisheries. Oregon Department of Fish and Wildlife, Columbia River Management, Portland, Oregon.

1983: <https://catalog.cbfwl.org/cgi-bin/koha/opac-detail.pl?biblionumber=2144>

1984: <https://catalog.cbfwl.org/cgi-bin/koha/opac-detail.pl?biblionumber=2146>

1985: <https://catalog.cbfwl.org/cgi-bin/koha/opac-detail.pl?biblionumber=2147>

1986: <https://catalog.cbfwl.org/cgi-bin/koha/opac-detail.pl?biblionumber=2145>

Haskell, C. A. 2018. From salmon to shad: Shifting sources of marine-derived nutrients in the Columbia River Basin. *Ecology of Freshwater Fish* 27(1):310–322. <https://doi.org/10.1111/eff.12348>

Haskell, C. A., D. A. Beauchamp, and S. M. Bollens. 2017. Trophic interactions and consumption rates of subyearling chinook salmon and nonnative juvenile American shad in Columbia River reservoirs. *Transactions of the American Fisheries Society* 146(2):291-298.

<https://doi.org/10.1080/00028487.2016.1264997>

Haskell, C. A., K. F. Tiffan, and D. W. Rondorf. 2013. The effects of juvenile American shad planktivory on zooplankton production in Columbia River food webs. *Transactions of the American Fisheries Society* 142(3):606-620. <https://doi.org/10.1080/00028487.2012.728164>

Hamman, M. G. 1981. Utilization of the Columbia River Estuary by American shad, *Alosa sapidissima* (Wilson). Master's thesis. Oregon State University, Corvallis, Oregon.

<http://hdl.handle.net/1957/10544>

Hasselman, D. J., R. A. Hinrichsen, B. A. Shields, and C. C. Ebbesmeyer. 2012. The rapid establishment, dispersal, and increased abundance of invasive American shad in the Pacific Northwest. *Fisheries Magazine* 37(3):103-114.

<https://doi.org/10.1080/03632415.2012.659938>

Hasselman, D. J., R. A. Hinrichsen, B. A. Shields, and C. C. Ebbesmeyer. 2012. American shad of the Pacific coast: a harmful invasive species or benign introduction? *Fisheries Magazine* 37(3):115-122.

<https://doi.org/10.1080/03632415.2012.659941>

Hasselman, D. J., P. Bentzen, S. R. Narum, and T. P. Quinn. 2018. Formation of population genetic structure following the introduction and establishment of non-native American shad (*Alosa sapidissima*) along the Pacific Coast of North America. *Biological Invasions* 20(11):3123–3143.

<https://doi.org/10.1007/s10530-018-1763-7>

Hinrichsen, R. A., D. J. Hasselman, C. C. Ebbesmeyer, and B. A. Shields. 2013. The role of impoundments, temperature, and discharge on colonization of the Columbia River Basin, USA, by nonindigenous

American shad. Transactions of the American Fisheries Society 142(4):887-900.

<https://doi.org/10.1080/00028487.2013.788553>

Joint Columbia River Management Staff. 1997-. Joint staff report concerning commercial seasons for spring Chinook, sturgeon, shad, smelt, and other fisheries and miscellaneous regulations. Joint Columbia River Management Staff, Olympia, Washington.

2002-2006: <https://digital.osl.state.or.us/islandora/object/osl:44085> 2007-

Present: <https://digital.osl.state.or.us/islandora/object/osl:45184>

Monk, B. D. Weaver, C. Thompson, and F. Ossiander. 1989. Effects of flow and weir design on the passage behavior of American shad and salmonids in an experimental fish ladder. North American Journal of Fisheries Management 9(1):60-67.

[https://doi.org/10.1577/1548-8675\(1989\)009<0060:EOFAWD>2.3.CO;2](https://doi.org/10.1577/1548-8675(1989)009<0060:EOFAWD>2.3.CO;2)

Moser, M. L., A. M. Darazsdi, and J. R. Hall. 2000. Improving passage efficiency of adult American shad at low-elevation dams with navigation locks. North American Journal of Fisheries Management 20(2):376-385.

[https://doi.org/10.1577/1548-8675\(2000\)020<0376:IPEOAA>2.3.CO;2](https://doi.org/10.1577/1548-8675(2000)020<0376:IPEOAA>2.3.CO;2)

Parsley, M. J., S. T. Sauter, and L. A. Wetzel. 2011. Impact of American shad in the Columbia River. Final Report to the Bonneville Power Administration, Project 2007-275-00, Portland, Oregon.

<https://www.cbfish.org/Document.mvc/Viewer/P121252>

Pearcy, W. G. and J. P. Fisher. 2011. Ocean distribution of the American shad (*Alosa sapidissima*) along the Pacific coast of North America. Fishery Bulletin 109(4):440-453.

<https://spo.nmfs.noaa.gov/sites/default/files/pdf-content/2011/1094/1094pearcy.pdf>

Peery, C. A., T. C. Bjornn, K. R. Tolotti, and L. C. Stuehrenberg. 1999. Effects of a shad fishery on passage of adult chinook salmon through the Oregon-shore fishway at The Dalles Dam, 1996 : a report for Project MPE-P-95-1. Idaho Cooperative Fish and Wildlife Research Unit, Technical Report 98-4, Moscow, Idaho.

<http://pweb.crohms.org/tmt/documents/FPOM/2010/Task%20Groups/Task%20Group%20Shad%20Fishery/TDAshadfish96.pdf>

Quinn, T. P., and D. J. Adams. 1996. Environmental Changes Affecting the Migratory Timing of American Shad and Sockeye Salmon. Ecology 77(4):1151-1162. <https://doi.org/10.2307/2265584>

Rottiers, D. V., L. A. Redell, H. E. Booke, and S. Amaral. 1992. Notes: Differences in stocks of American shad from the Columbia and Delaware Rivers. Transactions of the American Fisheries Society 121(1):132-136.

[https://doi.org/10.1577/1548-8659\(1992\)121<0132:NDISOA>2.3.CO;2](https://doi.org/10.1577/1548-8659(1992)121<0132:NDISOA>2.3.CO;2)

Stainbrook, C. E. 1982. Selected life history aspects of American shad (*Alosa sapidissima*) and predation on young-of-the-year shad in Lake Umatilla of the Columbia River. Master's thesis. Oregon State University, Corvallis, Oregon.

<http://hdl.handle.net/1957/41994>

Weaver, C. R. 1965. Observations on the swimming ability of adult American shad (*Alosa sapidissima*). Transactions of the American Fisheries Society 94(4):382-385.

[https://doi.org/10.1577/1548-8659\(1965\)94\[382:OOTSAO\]2.0.CO;2](https://doi.org/10.1577/1548-8659(1965)94[382:OOTSAO]2.0.CO;2)

General

Bailey, M. M. and J. D. Zydlewski. 2013. To stock or not to stock? Assessing the restoration potential of a remnant American shad spawning run with hatchery supplementation. North American Journal of Fisheries Management 33(3):459-467. <https://doi.org/10.1080/02755947.2013.763874>

Bayse, S. M., Regish, A. M., and S. D. McCormick. 2021. Survival and spawning success of American shad (*Alosa sapidissima*) in varying temperatures and levels of glochidia infection. *Fish Physiology and Biochemistry* 47(6): 1821-1836. <https://doi.org/10.1007/s10695-021-01018-4>

Bilkovic, D. M., C. H. Hershner, and J. E. Olney. 2002. Macroscale assessment of American shad spawning and nursery habitat in the Mattaponi and Pamunkey Rivers, Virginia. *North American Journal of Fisheries Management* 22(4):1176–1192. [https://doi.org/10.1577/1548-8675\(2002\)022<1176:MAOASS>2.0.CO;2](https://doi.org/10.1577/1548-8675(2002)022<1176:MAOASS>2.0.CO;2)

Blackford, C. M. 1916. The shad – a national problem. *Transactions of the American Fisheries Society* 46(1):5-14. [https://doi.org/10.1577/1548-8659\(1916\)46\[5:TSNP\]2.0.CO;2](https://doi.org/10.1577/1548-8659(1916)46[5:TSNP]2.0.CO;2)

Brown, B. L., P. E. Smouse, J. M. Epifanio, and C. J. Kobak. 1999. Mitochondrial DNA mixed-stock analysis of American shad: coastal harvests are dynamic and variable. *Transactions of the American Fisheries Society* 128(6):977-994. [https://doi.org/10.1577/1548-8659\(1999\)128<0977:MDMSAO>2.0.CO;2](https://doi.org/10.1577/1548-8659(1999)128<0977:MDMSAO>2.0.CO;2)

Creek, R. P. 1968. The American shad. U.S. Fish and Wildlife Service, Fishery Leaflet 614, Washington. <https://spo.nmfs.noaa.gov/sites/default/files/legacy-pdfs/leaflet614.pdf>

Fisher, F. W. 1976. Swimming ability of juvenile American Shad (*Alosa Sapidissima*). California Anadromous Fisheries Branch, Anadromous Fisheries Branch Administrative Report No. 76-9, [Sacramento?]. <https://catalog.cbfwl.org/cgi-bin/koha/opac-detail.pl?biblionumber=4429>

Greene, K. E., J. L. Zimmerman, R. W. Laney, and J. C. Thomas-Blate. 2009. American shad (*Alosa sapidissima*). Pages 7–55 *in* Atlantic Coast Diadromous Fish Habitat: A Review of Utilization, Threats, Recommendations for Conservation, and Research Needs. Atlantic States Marine Fisheries Commission. https://www.asmf.org/files/Habitat/HMS9_Diadromous_Habitat_2009.pdf

Limburg, K. E. and J. R. Waldman, editors. 2003. Biodiversity, Status, and Conservation of the World's Shads. American Fisheries Society, Symposium 35, Bethesda, MD. <http://www.worldcat.org/oclc/52938472>

McBride, R. S., M. L. Hendricks, and J. E. Olney. 2005. Testing the validity of Cating's (1953) method for age determination of American shad using scales. *Fisheries Magazine* 30(10):10-18. [https://doi.org/10.1577/1548-8446\(2005\)30\[10:TTVOCM\]2.0.CO;2](https://doi.org/10.1577/1548-8446(2005)30[10:TTVOCM]2.0.CO;2)

Mullen, R.E. 1974. A summary of American shad (*Aloaa sapidiaeima*) tagging studies on the coastal streams of Oregon, 1946-70. Fish Commission of Oregon, Coastal Rivers Investigation Information Report 74-3. <http://hdl.handle.net/1957/26363>

Life history

Aunins, A. and J. E. Olney. 2009. Migration and spawning of American shad in the James River, Virginia. *Transactions of the American Fisheries Society* 138(6):1392-1404. <https://doi.org/10.1577/T08-160.1>

Aunins, A. W., J. M. Epifanio, and B. L. Brown. 2014. Genetic evaluation of supplementation-assisted American shad restoration in the James River, Virginia. *Marine and Coastal Fisheries: Dynamics, Management, and Ecosystem Science* 6(1):127-141. <https://doi.org/10.1080/19425120.2014.893465>

Backman, T. W. H., R. M. Ross, and W. F. Krise. 1991. Tolerance of subyearling American shad to short-term exposure to gas supersaturation. *North American Journal of Fisheries Management* 11(1):67-71. [https://doi.org/10.1577/1548-8675\(1991\)011<0067:TOSAST>2.3.CO;2](https://doi.org/10.1577/1548-8675(1991)011<0067:TOSAST>2.3.CO;2)

Carscadden, J. E., and W. C. Leggett. 1975. Life history variations in populations of American shad, *Alosa sapidissima* (Wilson), spawning in tributaries of the St John River, New Brunswick. *Journal of Fish Biology* 7(5):595–609.

<https://doi.org/10.1111/j.1095-8649.1975.tb04633.x>

Chittenden, M. E. 1969. Life history and ecology of the American shad, *Alosa sapidissima*, in the Delaware River. Doctoral dissertation. Rutgers University, New Brunswick, New Jersey.

<http://www.worldcat.org/oclc/5761850>

Chittenden Jr., M. E. 1972. Responses of young American shad, *Alosa sapidissima*, to low temperatures. *Transactions of the American Fisheries Society* 101(4):680-685.

[https://doi.org/10.1577/1548-8659\(1972\)101<680:ROYASA>2.0.CO;2](https://doi.org/10.1577/1548-8659(1972)101<680:ROYASA>2.0.CO;2)

Hyle, A. R., R. S. McBride, and J. E. Olney. 2014. Determinate versus indeterminate fecundity in American shad, an anadromous clupeid. *Transactions of the American Fisheries Society* 143(3):618–633.

<https://doi.org/10.1080/00028487.2013.862178>

Limburg, K. E. 1995. Otolith strontium traces environmental history of subyearling American shad *Alosa sapidissima*. *Marine Ecology Progress Series* 119(1/3):25–35. Inter-Research Science Center.

<http://www.jstor.org/stable/24849794>

Marcy Jr., B. C., P. M. Jacobson, and R. L. Nankee. 1972. Observations on the reactions of young American shad to a heated effluent. *Transactions of the American Fisheries Society* 101(4):740-743.

[https://doi.org/10.1577/1548-8659\(1972\)101<740:OOTROY>2.0.CO;2](https://doi.org/10.1577/1548-8659(1972)101<740:OOTROY>2.0.CO;2)

Shrimpton, J. M., J. D. Zydlewski, and S. D. McCormick. 2001. The stress response of juvenile American shad to handling and confinement is greater during migration in freshwater than in seawater. *Transactions of the American Fisheries Society* 130(6):1203-1210.

[https://doi.org/10.1577/1548-8659\(2001\)130<1203:TSROJA>2.0.CO;2](https://doi.org/10.1577/1548-8659(2001)130<1203:TSROJA>2.0.CO;2)

Walther, B. D. and S. R. Thorrold. 2008. Geochemical signatures in otoliths record natal origins of American shad. *Transactions of the American Fisheries Society* 137(1):57-69.

<https://doi.org/10.1577/T07-029.1>

Weiss-Glanz, L. S., J. G. Stanley, and J. R. Moring. 1986. Species profiles life histories and environmental requirements of coastal fishes and invertebrates (North Atlantic) : American shad. USFWS, Biological Report 82(11.59), TR EL-82-4, Vicksburg, Mississippi. <https://apps.dtic.mil/sti/citations/ADA181581>

Passage through dams/fishways

Aunins, A. W., B. L. Brown, M. Balazik, and G. C. Garman. 2013. Migratory movements of American shad in the James River fall zone, Virginia. *North American Journal of Fisheries Management* 33(3):569-575.

<https://doi.org/10.1080/02755947.2013.768564>

Bailey, M. M., J. J. Isely, and W. C. Bridges Jr. 2004. Movement and population size of American shad near a low-head lock and dam. *Transactions of the American Fisheries Society* 133(2): 300-308.

<https://doi.org/10.1577/03-025>

Barry, T. and B. Kynard. 1986. Attraction of adult American shad to fish lifts at Holyoke Dam, Connecticut River. *North American Journal of Fisheries Management* 6(2):233-241.

[https://doi.org/10.1577/1548-8659\(1986\)6<233:AOAAST>2.0.CO;2](https://doi.org/10.1577/1548-8659(1986)6<233:AOAAST>2.0.CO;2)

Caumartin, J., R. Verdon, D. Desrochers, A. Guindon, F. Lafleur, and F. Guay. 2020. Response of out-migrating adult American shad guided by spill and ultrasound as they approach Rivière-des-Prairies hydroelectric generating station. *North American Journal of Fisheries Management* 40(3):773–788. <https://doi.org/10.1002/nafm.10445>

Collins, G. B. 1951. A fishway that shad ascend. U.S. Fish and Wildlife Service, Special Scientific Report No. 65, Washington, D.C. <https://spo.nmfs.noaa.gov/sites/default/files/legacy-pdfs/SSRF65.pdf>

Grote, A. B., M. M. Bailey, and J. D. Zydlewski. 2014. Movements and demography of spawning American shad in the Penobscot River, Maine, prior to dam removal. *Transactions of the American Fisheries Society* 143(2):552-563. <https://doi.org/10.1080/00028487.2013.864705>

Hard, A., and B. Kynard. 1997. Video Evaluation of Passage Efficiency of American Shad and Sea Lamprey in a Modified Ice Harbor Fishway. *North American Journal of Fisheries Management* 17(4):981–987. [https://doi.org/10.1577/1548-8675\(1997\)017%3C0981:VEOPEO%3E2.3.CO;2](https://doi.org/10.1577/1548-8675(1997)017%3C0981:VEOPEO%3E2.3.CO;2)

Haro, A., M. Odeh, J. Noreika, and T. Castro-Santos. 1998. Effect of water acceleration on downstream migratory behavior and passage of Atlantic salmon smolts and juvenile American shad at surface bypasses. *Transactions of the American Fisheries Society* 127(1):118–127. [https://doi.org/10.1577/1548-8659\(1998\)127<0118:EOWAOD>2.0.CO;2](https://doi.org/10.1577/1548-8659(1998)127<0118:EOWAOD>2.0.CO;2)

Haro, A., M. Odeh, T. Castro-Santos, and J. Noreika. 1999. Effect of slope and headpond on passage of American shad and blueback herring through simple denil and deepened Alaska steep pass fishways. *North American Journal of Fisheries Management* 19(1):51-58. [https://doi.org/10.1577/1548-8675\(1999\)019<0051:EOSAHO>2.0.CO;2](https://doi.org/10.1577/1548-8675(1999)019<0051:EOSAHO>2.0.CO;2)

Haro, A. and T. Castro-Santos. 2012. Passage of American shad: paradigms and realities. *Marine and Coastal Fisheries: Dynamics, Management, and Ecosystem Science* 4(1):252-261. <https://doi.org/10.1080/19425120.2012.675975>

Mathur, D., P. G. Heisey, D. A. Robinson. 1994. Notes: Turbine-passage mortality of juvenile American shad at a low-head hydroelectric dam. *Transactions of the American Fisheries Society* 123(1):108-111. [https://doi.org/10.1577/1548-8659\(1994\)123<0108:NTPMOJ>2.3.CO;2](https://doi.org/10.1577/1548-8659(1994)123<0108:NTPMOJ>2.3.CO;2)

Weaver, D. M., M. Brown and J. D. Zydlewski. 2019. Observations of American shad *Alosa sapidissima* approaching and using a vertical slot fishway at the head-of-tide Brunswick Dam on the Androscoggin River, Maine. *North American Journal of Fisheries Management* 39(5):989-998. <https://doi.org/10.1002/nafm.10330>

Zydlewski, J., Stich, D. S., Roy, S., Bailey, M., Sheehan, T., K. Sprankle. 2021. What have we lost? Modeling dam impacts on American shad populations through their native range. *Frontiers in Marine Science* 8. <https://doi.org/10.3389/fmars.2021.734213>